

Detail Match Report by Score

Detail Shooter Report

Shooter Name: Michael Brown

Competitor #: 469

IDPA Number: 469

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 33.48

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	5.24	0	0	0	0	0	5.24
02	Indoor Standards	7.50	3	0	0	0	0	9.00
03	Mall	5.33	0	0	0	0	0	5.33
04	Car Jack	6.28	0	0	0	0	0	6.28
05	Outdoor Standards	6.13	3	0	0	0	0	7.63

Match Points Down and Penalties

Points Down: 6 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Greg Bailey

Competitor #: 239

IDPA Number: 239

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 42.05

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	6.65	0	0	0	0	0	6.65
02	Indoor Standards	13.19	0	0	0	0	0	13.19
03	Mall	4.30	0	0	0	0	0	4.30
04	Car Jack	7.86	0	0	0	0	0	7.86
05	Outdoor Standards	8.05	4	0	0	0	0	10.05

Match Points Down and Penalties

Points Down: 4 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Matt Fields

Competitor #: 284

IDPA Number: 284

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 45.20

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	5.26	0	0	0	0	0	5.26
02	Indoor Standards	10.86	0	0	0	0	0	10.86
03	Mall	8.09	0	0	0	0	0	8.09
04	Car Jack	11.28	0	0	0	0	0	11.28
05	Outdoor Standards	9.71	0	0	0	0	0	9.71

Match Points Down and Penalties

Points Down: 0 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Karl Rehn

Competitor #: 219

IDPA Number: 219

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 48.01

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.08	0	0	0	0	0	8.08
02	Indoor Standards	10.42	10	0	0	0	0	15.42
03	Mall	7.58	0	0	0	0	0	7.58
04	Car Jack	7.04	0	0	0	0	0	7.04
05	Outdoor Standards	9.89	0	0	0	0	0	9.89

Match Points Down and Penalties

Points Down: 10 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Myrin Young

Competitor #: 3

IDPA Number: 3

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 48.30

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	7.59	0	0	0	0	0	7.59
02	Indoor Standards	9.16	0	0	0	0	0	9.16
03	Mall	8.42	0	0	0	0	0	8.42
04	Car Jack	9.43	0	0	0	0	0	9.43
05	Outdoor Standards	8.20	11	0	0	0	0	13.70

Match Points Down and Penalties

Points Down: 11 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Randy Harris

Competitor #: 472

IDPA Number: 472

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 48.30

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	6.21	0	0	0	0	0	6.21
02	Indoor Standards	11.31	0	0	0	0	0	11.31
03	Mall	9.51	0	0	0	0	0	9.51
04	Car Jack	8.97	0	0	0	0	0	8.97
05	Outdoor Standards	7.80	9	0	0	0	0	12.30

Match Points Down and Penalties

Points Down: 9 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Bill Brollier

Competitor #: 367

IDPA Number: 367

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 50.67

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	4.52	0	0	0	0	0	4.52
02	Indoor Standards	13.41	1	0	0	0	0	13.91
03	Mall	10.50	0	0	0	0	0	10.50
04	Car Jack	8.34	0	0	0	0	0	8.34
05	Outdoor Standards	9.40	8	0	0	0	0	13.40

Match Points Down and Penalties

Points Down: 9 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Terry Zortman

Competitor #: 379

IDPA Number: 379

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 52.87

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	6.93	0	0	0	0	0	6.93
02	Indoor Standards	9.90	5	0	0	0	0	12.40
03	Mall	8.11	0	0	0	0	0	8.11
04	Car Jack	10.65	0	1	0	0	0	15.65
05	Outdoor Standards	7.78	4	0	0	0	0	9.78

Match Points Down and Penalties

Points Down: 9 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Shawn Thompson

Competitor #: 475

IDPA Number: 475

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 52.88

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.63	0	0	0	0	0	8.63
02	Indoor Standards	11.74	1	0	0	0	0	12.24
03	Mall	12.78	0	0	0	0	0	12.78
04	Car Jack	7.85	0	0	0	0	0	7.85
05	Outdoor Standards	6.38	10	0	0	0	0	11.38

Match Points Down and Penalties

Points Down: 11 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: John Justice

Competitor #: 207

IDPA Number: 207

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 54.56

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.36	0	0	0	0	0	8.36
02	Indoor Standards	10.56	6	0	0	0	0	13.56
03	Mall	9.20	0	0	0	0	0	9.20
04	Car Jack	8.25	0	0	0	0	0	8.25
05	Outdoor Standards	9.19	12	0	0	0	0	15.19

Match Points Down and Penalties

Points Down: 18 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Steve Moses

Competitor #: 253

IDPA Number: 253

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 54.88

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.21	0	0	0	0	0	8.21
02	Indoor Standards	13.25	1	0	0	0	0	13.75
03	Mall	9.79	0	0	0	0	0	9.79
04	Car Jack	10.28	0	0	0	0	0	10.28
05	Outdoor Standards	9.35	7	0	0	0	0	12.85

Match Points Down and Penalties

Points Down: 8 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Mike Rallings

Competitor #: 464

IDPA Number: 464

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 56.07

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.05	0	0	0	0	0	8.05
02	Indoor Standards	14.53	0	0	0	0	0	14.53
03	Mall	7.16	0	0	0	0	0	7.16
04	Car Jack	9.15	0	0	0	0	0	9.15
05	Outdoor Standards	8.18	8	1	0	0	0	17.18

Match Points Down and Penalties

Points Down: 8 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Archie Kirchner

Competitor #: 262
IDPA Number: 262

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 56.89

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	5.65	0	0	0	0	0	5.65
02	Indoor Standards	10.29	6	1	0	0	0	18.29
03	Mall	16.39	0	0	0	0	0	16.39
04	Car Jack	7.63	0	0	0	0	0	7.63
05	Outdoor Standards	7.43	3	0	0	0	0	8.93

Match Points Down and Penalties

Points Down: 9 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Michael Branning

Competitor #: 468
IDPA Number: 468

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 59.87

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	7.77	0	0	0	0	0	7.77
02	Indoor Standards	15.85	4	0	0	0	0	17.85
03	Mall	8.28	0	0	0	0	0	8.28
04	Car Jack	11.03	0	0	0	0	0	11.03
05	Outdoor Standards	7.44	15	0	0	0	0	14.94

Match Points Down and Penalties

Points Down: 19 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Paul Gomez

Competitor #: 173
IDPA Number: 173

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 60.16

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	7.11	0	0	0	0	0	7.11
02	Indoor Standards	12.13	18	0	0	0	0	21.13
03	Mall	8.28	0	0	0	0	0	8.28
04	Car Jack	12.35	0	0	0	0	0	12.35
05	Outdoor Standards	7.29	8	0	0	0	0	11.29

Match Points Down and Penalties

Points Down: 26 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Justin Galindo

Competitor #: 447

IDPA Number: 447

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 60.44

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	15.10	0	0	0	0	0	15.10
02	Indoor Standards	14.23	0	0	0	0	0	14.23
03	Mall	13.12	0	0	0	0	0	13.12
04	Car Jack	9.01	0	0	0	0	0	9.01
05	Outdoor Standards	8.98	0	0	0	0	0	8.98

Match Points Down and Penalties

Points Down: 0 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Von Odenwald

Competitor #: 342

IDPA Number: 342

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 60.56

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	10.23	0	0	0	0	0	10.23
02	Indoor Standards	15.38	1	0	0	0	0	15.88
03	Mall	8.59	0	0	0	0	0	8.59
04	Car Jack	11.07	0	0	0	0	0	11.07
05	Outdoor Standards	13.29	3	0	0	0	0	14.79

Match Points Down and Penalties

Points Down: 4 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Frank Sharpe

Competitor #: 385

IDPA Number: 385

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 61.29

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	12.82	0	0	0	0	0	12.82
02	Indoor Standards	14.24	3	0	0	0	0	15.74
03	Mall	8.00	0	0	0	0	0	8.00
04	Car Jack	13.62	0	0	0	0	0	13.62
05	Outdoor Standards	5.11	12	0	0	0	0	11.11

Match Points Down and Penalties

Points Down: 15 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Doug Blower

Competitor #: 454

Division: Major

IDPA Number: 454

Classification: Open

Stages Completed: 5

Match Total: 61.41

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	9.02	0	0	0	0	0	9.02
02	Indoor Standards	10.84	18	0	0	0	0	19.84
03	Mall	7.62	0	0	0	0	0	7.62
04	Car Jack	9.70	0	0	0	0	0	9.70
05	Outdoor Standards	7.73	15	0	0	0	0	15.23

Match Points Down and Penalties

Points Down: 33 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Perry Breithaupt

Competitor #: 160

Division: SO

IDPA Number: 160

Classification: Open

Stages Completed: 5

Match Total: 61.96

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	11.35	0	0	0	0	0	11.35
02	Indoor Standards	10.92	4	0	0	0	0	12.92
03	Mall	13.04	0	0	0	0	0	13.04
04	Car Jack	13.02	0	0	0	0	0	13.02
05	Outdoor Standards	9.63	4	0	0	0	0	11.63

Match Points Down and Penalties

Points Down: 8 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Richard Ford

Competitor #: 397

Division: Major

IDPA Number: 397

Classification: Open

Stages Completed: 5

Match Total: 62.53

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	10.06	0	0	0	0	0	10.06
02	Indoor Standards	17.63	0	0	0	0	0	17.63
03	Mall	10.86	0	0	0	0	0	10.86
04	Car Jack	10.31	0	0	0	0	0	10.31
05	Outdoor Standards	11.17	5	0	0	0	0	13.67

Match Points Down and Penalties

Points Down: 5 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Brandon Bennett

Competitor #: 479
IDPA Number: 479

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 62.65

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	18.02	0	0	0	0	0	18.02
02	Indoor Standards	12.39	1	0	0	0	0	12.89
03	Mall	6.69	0	0	0	0	0	6.69
04	Car Jack	12.07	0	0	0	0	0	12.07
05	Outdoor Standards	5.98	14	0	0	0	0	12.98

Match Points Down and Penalties

Points Down: 15 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Clyde Caceres

Competitor #: 481
IDPA Number: 481

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 62.89

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	9.47	0	0	0	0	0	9.47
02	Indoor Standards	11.35	0	0	0	0	0	11.35
03	Mall	14.08	0	0	0	0	0	14.08
04	Car Jack	8.02	0	1	0	0	0	13.02
05	Outdoor Standards	7.47	15	0	0	0	0	14.97

Match Points Down and Penalties

Points Down: 15 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: John Hearne

Competitor #: 214
IDPA Number: 214

Division: SO
Classification: Open

Stages Completed: 5

Match Total: 63.54

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	7.09	0	0	0	0	0	7.09
02	Indoor Standards	9.75	6	0	0	0	0	12.75
03	Mall	19.02	0	0	0	0	0	19.02
04	Car Jack	9.61	0	0	0	0	0	9.61
05	Outdoor Standards	8.07	14	0	0	0	0	15.07

Match Points Down and Penalties

Points Down: 20 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Scott Sanford

Competitor #: 1
IDPA Number: 1

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 64.48

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.42	0	0	0	0	0	8.42
02	Indoor Standards	12.21	12	0	0	0	0	18.21
03	Mall	9.20	0	0	0	0	0	9.20
04	Car Jack	13.67	0	0	0	0	0	13.67
05	Outdoor Standards	7.48	15	0	0	0	0	14.98

Match Points Down and Penalties

Points Down: 27 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Tim Burke

Competitor #: 147
IDPA Number: 147

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 65.21

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	11.05	0	0	0	0	0	11.05
02	Indoor Standards	14.88	4	0	0	0	0	16.88
03	Mall	13.91	0	0	0	0	0	13.91
04	Car Jack	10.48	0	0	0	0	0	10.48
05	Outdoor Standards	10.89	4	0	0	0	0	12.89

Match Points Down and Penalties

Points Down: 8 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Jeff Tinsley

Competitor #: 435
IDPA Number: 435

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 65.39

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	15.55	0	0	0	0	0	15.55
02	Indoor Standards	11.96	3	0	0	0	0	13.46
03	Mall	14.66	0	0	0	0	0	14.66
04	Car Jack	9.52	0	0	0	0	0	9.52
05	Outdoor Standards	8.20	8	0	0	0	0	12.20

Match Points Down and Penalties

Points Down: 11 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Mike Phillips

Competitor #: 238

Division: Major

Stages Completed:
5

Match Total:
67.19

IDPA Number: 238

Classification: Open

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.10	0	0	0	0	0	8.10
02	Indoor Standards	11.67	8	0	0	0	0	15.67
03	Mall	10.49	0	0	0	0	0	10.49
04	Car Jack	13.33	0	0	0	0	0	13.33
05	Outdoor Standards	8.60	22	0	0	0	0	19.60

Match Points Down and Penalties

Points Down: 30 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Hersh Gooden

Competitor #: 380

Division: Major

Stages Completed:
5

Match Total:
67.86

IDPA Number: 380

Classification: Open

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.54	0	0	0	0	0	8.54
02	Indoor Standards	15.49	5	0	0	0	0	17.99
03	Mall	13.59	0	0	0	0	0	13.59
04	Car Jack	13.36	0	0	0	0	0	13.36
05	Outdoor Standards	7.38	14	0	0	0	0	14.38

Match Points Down and Penalties

Points Down: 19 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Dan Stark

Competitor #: 480

Division: Major

Stages Completed:
5

Match Total:
68.61

IDPA Number: 480

Classification: Open

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	10.23	0	0	0	0	0	10.23
02	Indoor Standards	11.78	0	0	0	0	0	11.78
03	Mall	21.66	0	0	0	0	0	21.66
04	Car Jack	14.30	0	0	0	0	0	14.30
05	Outdoor Standards	9.64	2	0	0	0	0	10.64

Match Points Down and Penalties

Points Down: 2 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Will Andrews

Competitor #: 449
IDPA Number: 449

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 68.89

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	12.33	0	0	0	0	0	12.33
02	Indoor Standards	9.50	7	0	0	0	0	13.00
03	Mall	8.53	0	0	0	0	0	8.53
04	Car Jack	7.29	0	0	0	0	0	7.29
05	Outdoor Standards	8.74	28	1	0	0	0	27.74

Match Points Down and Penalties

Points Down: 35 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Jason Redding

Competitor #: 463
IDPA Number: 463

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 70.09

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	7.08	0	0	0	0	0	7.08
02	Indoor Standards	12.75	3	0	0	0	0	14.25
03	Mall	8.93	0	0	0	0	0	8.93
04	Car Jack	23.77	0	0	0	0	0	23.77
05	Outdoor Standards	10.06	12	0	0	0	0	16.06

Match Points Down and Penalties

Points Down: 15 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Angelo Novelli

Competitor #: 386
IDPA Number: 386

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 70.67

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	14.28	0	0	0	0	0	14.28
02	Indoor Standards	14.43	9	0	0	0	0	18.93
03	Mall	9.32	0	0	0	0	0	9.32
04	Car Jack	10.81	0	0	0	0	0	10.81
05	Outdoor Standards	10.83	13	0	0	0	0	17.33

Match Points Down and Penalties

Points Down: 22 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Gary Cooper

Competitor #: 420

IDPA Number: 420

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 71.20

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.86	0	0	0	0	0	8.86
02	Indoor Standards	15.50	4	0	0	0	0	17.50
03	Mall	14.85	0	0	0	0	0	14.85
04	Car Jack	15.37	0	0	0	0	0	15.37
05	Outdoor Standards	7.62	14	0	0	0	0	14.62

Match Points Down and Penalties

Points Down: 18 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Patrick Jones

Competitor #: 453

IDPA Number: 453

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 71.87

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.39	0	0	0	0	0	8.39
02	Indoor Standards	14.09	8	0	0	0	0	18.09
03	Mall	13.75	0	0	0	0	0	13.75
04	Car Jack	16.35	0	0	0	0	0	16.35
05	Outdoor Standards	10.79	9	0	0	0	0	15.29

Match Points Down and Penalties

Points Down: 17 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Bill Baker

Competitor #: 473

IDPA Number: 473

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 71.95

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	9.15	0	1	0	0	0	14.15
02	Indoor Standards	12.83	8	0	0	0	0	16.83
03	Mall	7.70	0	0	0	0	0	7.70
04	Car Jack	12.28	0	0	0	0	0	12.28
05	Outdoor Standards	15.49	11	0	0	0	0	20.99

Match Points Down and Penalties

Points Down: 19 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Mike Birdsong

Competitor #: 474

IDPA Number: 474

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 73.99

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	11.05	0	0	0	0	0	11.05
02	Indoor Standards	15.10	11	0	0	0	0	20.60
03	Mall	13.59	0	0	0	0	0	13.59
04	Car Jack	8.64	0	0	0	0	0	8.64
05	Outdoor Standards	6.11	28	0	0	0	0	20.11

Match Points Down and Penalties

Points Down: 39 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Steve Camp

Competitor #: 419

IDPA Number: 419

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 74.05

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	16.70	0	0	0	0	0	16.70
02	Indoor Standards	12.73	5	1	0	0	0	20.23
03	Mall	20.83	0	0	0	0	0	20.83
04	Car Jack	8.45	0	0	0	0	0	8.45
05	Outdoor Standards	7.34	1	0	0	0	0	7.84

Match Points Down and Penalties

Points Down: 6 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Tommy Ferguson

Competitor #: 440

IDPA Number: 440

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 74.69

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	14.37	0	1	0	0	0	19.37
02	Indoor Standards	9.95	19	0	0	0	0	19.45
03	Mall	11.10	0	0	0	0	0	11.10
04	Car Jack	11.61	0	0	0	0	0	11.61
05	Outdoor Standards	10.16	6	0	0	0	0	13.16

Match Points Down and Penalties

Points Down: 25 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Bob Houline

Competitor #: 349
IDPA Number: 349

Division: SO
Classification: Open

Stages Completed: 5

Match Total: 74.73

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.31	0	0	0	0	0	8.31
02	Indoor Standards	11.89	15	0	0	0	0	19.39
03	Mall	8.59	0	0	0	0	0	8.59
04	Car Jack	12.55	0	1	0	0	0	17.55
05	Outdoor Standards	10.89	10	1	0	0	0	20.89

Match Points Down and Penalties

Points Down: 25 Procedurals: 2 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Terry Winders

Competitor #: 467
IDPA Number: 467

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 75.47

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	12.78	0	0	0	0	0	12.78
02	Indoor Standards	14.78	0	0	0	0	0	14.78
03	Mall	24.77	0	0	0	0	0	24.77
04	Car Jack	13.50	0	0	0	0	0	13.50
05	Outdoor Standards	9.64	0	0	0	0	0	9.64

Match Points Down and Penalties

Points Down: 0 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Dan Kohr

Competitor #: 484
IDPA Number: 484

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 75.60

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	7.65	0	0	0	0	0	7.65
02	Indoor Standards	12.50	0	0	0	0	0	12.50
03	Mall	12.78	0	0	0	0	0	12.78
04	Car Jack	8.99	0	1	0	0	0	13.99
05	Outdoor Standards	11.68	14	2	0	0	0	28.68

Match Points Down and Penalties

Points Down: 14 Procedurals: 3 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Rob Bullock

Competitor #: 478
IDPA Number: 478

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 75.79

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	24.42	0	0	0	0	0	24.42
02	Indoor Standards	13.29	0	0	0	0	0	13.29
03	Mall	10.58	0	0	0	0	0	10.58
04	Car Jack	8.93	0	1	0	0	0	13.93
05	Outdoor Standards	6.57	14	0	0	0	0	13.57

Match Points Down and Penalties

Points Down: 14 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Tim Thomas

Competitor #: 403
IDPA Number: 403

Division: SO
Classification: Open

Stages Completed: 5

Match Total: 76.79

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	13.02	0	0	0	0	0	13.02
02	Indoor Standards	12.93	5	0	0	0	0	15.43
03	Mall	14.82	0	0	0	0	0	14.82
04	Car Jack	15.80	0	0	0	0	0	15.80
05	Outdoor Standards	8.22	19	0	0	0	0	17.72

Match Points Down and Penalties

Points Down: 24 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: David Hatch

Competitor #: 399
IDPA Number: 399

Division: Major
Classification: Open

Stages Completed: 5

Match Total: 76.85

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	13.20	0	0	0	0	0	13.20
02	Indoor Standards	14.45	16	0	0	0	0	22.45
03	Mall	16.32	0	0	0	0	0	16.32
04	Car Jack	15.11	0	0	0	0	0	15.11
05	Outdoor Standards	8.27	3	0	0	0	0	9.77

Match Points Down and Penalties

Points Down: 19 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Joseph Viray

Competitor #: 375

Division: Major

IDPA Number: 375

Classification: Open

Stages Completed: 5

Match Total: 77.12

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	9.60	0	0	0	0	0	9.60
02	Indoor Standards	14.15	9	0	0	0	0	18.65
03	Mall	18.33	0	0	0	0	0	18.33
04	Car Jack	10.06	0	0	0	0	0	10.06
05	Outdoor Standards	11.48	18	0	0	0	0	20.48

Match Points Down and Penalties

Points Down: 27 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Richard Wright

Competitor #: 148

Division: Major

IDPA Number: 148

Classification: Open

Stages Completed: 5

Match Total: 77.89

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	19.14	0	0	0	0	0	19.14
02	Indoor Standards	12.67	3	0	0	0	0	14.17
03	Mall	12.71	0	0	0	0	0	12.71
04	Car Jack	10.99	0	1	0	0	0	15.99
05	Outdoor Standards	8.38	15	0	0	0	0	15.88

Match Points Down and Penalties

Points Down: 18 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Steve Cooper

Competitor #: 222

Division: Major

IDPA Number: 222

Classification: Open

Stages Completed: 5

Match Total: 78.55

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	7.50	0	0	0	0	0	7.50
02	Indoor Standards	9.07	11	0	0	0	0	14.57
03	Mall	16.82	0	0	0	0	0	16.82
04	Car Jack	21.71	0	1	0	0	0	26.71
05	Outdoor Standards	8.95	8	0	0	0	0	12.95

Match Points Down and Penalties

Points Down: 19 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Jeff Jeter

Competitor #: 377

IDPA Number: 377

Division: Major

Classification: Open

Stages Completed:
5

Match Total:
78.73

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	9.89	0	0	0	0	0	9.89
02	Indoor Standards	15.62	4	0	0	0	0	17.62
03	Mall	13.72	0	1	0	0	0	18.72
04	Car Jack	11.01	0	0	0	0	0	11.01
05	Outdoor Standards	7.49	28	0	0	0	0	21.49

Match Points Down and Penalties

Points Down: 32 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Robert Judd

Competitor #: 413

IDPA Number: 413

Division: SO

Classification: Open

Stages Completed:
5

Match Total:
80.53

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.84	0	0	0	0	0	8.84
02	Indoor Standards	19.43	3	0	0	0	0	20.93
03	Mall	13.34	0	0	0	0	0	13.34
04	Car Jack	21.93	0	0	0	0	0	21.93
05	Outdoor Standards	10.49	10	0	0	0	0	15.49

Match Points Down and Penalties

Points Down: 13 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Greg Nurse

Competitor #: 457

IDPA Number: 457

Division: Major

Classification: Open

Stages Completed:
5

Match Total:
80.54

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	8.13	0	0	0	0	0	8.13
02	Indoor Standards	13.83	0	1	0	0	0	18.83
03	Mall	9.48	0	0	0	0	0	9.48
04	Car Jack	15.41	0	0	0	0	0	15.41
05	Outdoor Standards	12.19	23	1	0	0	0	28.69

Match Points Down and Penalties

Points Down: 23 Procedurals: 2 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Detail Shooter Report

Shooter Name: Dave Pyle

Competitor #: 477

IDPA Number: 477

Division: Major

Classification: Open

Stages Completed: 5

Match Total: 80.90

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	12.23	0	0	0	0	0	12.23
02	Indoor Standards	9.74	25	0	0	0	0	22.24
03	Mall	14.91	0	0	0	0	0	14.91
04	Car Jack	8.86	0	1	0	0	0	13.86
05	Outdoor Standards	6.66	22	0	0	0	0	17.66

Match Points Down and Penalties

Points Down: 47 Procedurals: 1 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Larry Pyzik

Competitor #: 351

IDPA Number: 351

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 82.90

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	20.76	0	0	0	0	0	20.76
02	Indoor Standards	15.11	15	0	0	0	0	22.61
03	Mall	13.51	0	0	0	0	0	13.51
04	Car Jack	10.44	0	0	0	0	0	10.44
05	Outdoor Standards	8.08	15	0	0	0	0	15.58

Match Points Down and Penalties

Points Down: 30 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

Shooter Name: Randy Johnson

Competitor #: 436

IDPA Number: 436

Division: SO

Classification: Open

Stages Completed: 5

Match Total: 83.20

Stage	Stage Name	Time	PD	PROC	HNT	FTN	FTL	Stage Total
01	Gas Pump Stick Up	11.48	0	0	0	0	0	11.48
02	Indoor Standards	33.95	0	0	0	0	0	33.95
03	Mall	15.45	0	0	0	0	0	15.45
04	Car Jack	10.24	0	0	0	0	0	10.24
05	Outdoor Standards	10.58	3	0	0	0	0	12.08

Match Points Down and Penalties

Points Down: 3 Procedurals: 0 Hits on Non-Threat: 0 Failure to Neutralize: 0 Failure to Live: 0

